

Инструкция по установке TestIt на Альт Рабочая станция К

Программная платформа (версия, номер сборки)

alt-kworkstation-9.1.1-install-x86_64

1. Установка Docker

Обновим список пакетов:

```
apt-get update
```

Запустим установку Docker:

```
apt-get install docker-ce
```

После чего стоит дождаться её завершения.

2. Установка Docker compose

Ниже приведен пример формата команды:

```
curl -L https://github.com/docker/compose/releases/download/1.8.0/docker-compose-`uname -s`-`uname -m` > /usr/local/bin/docker-compose
```

Дайте права на исполнение двоичному файлу:

```
chmod +x /usr/local/bin/docker-compose
```

Выполните запуск Docker:

```
systemctl start docker
```

3. Установка TestIt

Согласно документации - <https://docs.testit.software/docs/installation-guide>


При получении ошибки ниже:

```
[tester@Tester testit]$ docker-compose -f docker-compose.yml --project-name prod up --detach --timeout 120  
ERROR: Couldn't connect to Docker daemon at http+docker://localhost - is it running?
```

Необходимо выполнить следующие команды поочередно:

1. `sudo docker ps`
2. `sudo chown $USER /var/run/docker.sock`
3. `sudo usermod -a -G docker $USER`

После выполненных команд начнется установка Testit из репозитория



```
Терминал - tester@Tester: /home/tester/Рабочий стол/testit  
3.2.2: Pulling from testit/webapi  
33847f680f63: Already exists  
278eb0993f61: Already exists  
2cfcf72f80f8: Already exists  
091b811b1f16: Already exists  
eb8b29f66d07: Already exists  
85a6f4378add: Already exists  
9c2041e805c8: Pull complete  
bc097f680b8e: Pull complete  
b1e0a900fc87: Pull complete  
a8b56b753487: Pull complete  
d269f33b0d4f: Pull complete  
Digest: sha256:c78e42a61b48f9ff7dffc486f41ddbc79959725478ade60da05bd07cfa9c  
Status: Downloaded newer image for registry.testit.software/testit/webapi:3.2.2  
Pulling avatars-api (registry.testit.software/testit/avatars-api:3.2.2)...  
3.2.2: Pulling from testit/avatars-api  
33847f680f63: Already exists  
0630503570ba: Already exists  
057f502e0eba: Already exists  
91b53c444c85: Already exists  
727256423f76: Already exists  
d8e0eb74759: Pull complete  
84ac1e3a34ff: Pull complete  
787150c22cd7: Pull complete  
Digest: sha256:6d92800869456f5037abbf29546071a0522c094c5e9ba55c86926dd18f4335  
Status: Downloaded newer image for registry.testit.software/testit/avatars-api:3.2.2  
Pulling frontend (registry.testit.software/testit/frontend:3.2.2)...  
3.2.2: Pulling from testit/frontend  
69692152171a: Pull complete  
49f7d3462c1: Pull complete  
3f97dc5d71a0: Pull complete  
cf60911093a: Pull complete  
be6172d7651b: Pull complete  
0e9013070342: Pull complete  
c6224e6d35f6: Pull complete  
b9970863de88: Pull complete  
535881d19d12: Pull complete  
11b0a00a60: Pull complete  
dba0f1e35be6: Pull complete  
b4138d77eb9: Pull complete  
Digest: sha256:518d0c0a3f1809260364dfbfc15f97f98e94f70baac8a521461f55cb5e753c8  
Status: Downloaded newer image for registry.testit.software/testit/frontend:3.2.2  
Creating prod_minio 1 ... done  
Creating prod_avatars_minio 1 ... done  
Creating prod_license-service 1 ... done  
Creating prod_auth-cache 1 ... done  
Creating prod_influxdb 1 ... done  
Creating prod_autob 1 ... done  
Creating prod_db 1 ... done  
Creating prod_rabbitmq 1 ... done  
Creating prod_avatars.db 1 ... done  
Creating prod_auth 1 ... done  
Creating prod_ldapwebapi 1 ... done  
Creating prod_auth 1 ... done  
Creating prod_webapi 1 ... done  
Creating prod_rabbitmqconsumer 1 ... done  
Creating prod_avatars.api 1 ... done  
Creating prod_frontend 1 ... done  
[tester@Tester testit]$
```

